NOTICE: Sections bracketed with three plus signs (+++) may not be changed or removed without approval from a Quality Director or designee within the Entity and/or function (do not delete the text in this header).

EU DoC ID	80016679 Version 1	
Manufacturer Name and Address: Welch Allyn, Inc.		
4341 State Street Road		
Skaneateles Falls, NY 13153, USA		
Manufacturer Single Registration Number (SRN): US-MF-000013394		
Authorised Representative Name and Address: Welch Allyn Limited, Navan Business Park, Dublin Road, Navan, Co. Meath, C15 AW22		
Ireland		
Authorized Representative Single Registration Number (SRN): IE-AR-000000768		
+++ We as Manufacturer declare, under our sole responsibility, that the product(s) listed below conform to the applicable provisions of the Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on Medical Devices, and the following Directive(s), Regulation(s) and Common Specification(s). +++		
Other relevant Directi N/A	ves, Regulations and Union Legislations that the device is in conformity with:	
Common Specifications Applied: N/A		

PARENT DOCUMENT(S): GQP-09-34

FORM NO.: GQT-09-34-03
REVISION: H
ISSUE DATE: SEE STAMP

PUBLIC RELEASE

Page 1 of 5

ISSUE DATE: SEE STAMP
EFFECTIVE DATE: SEE STAMP

NOTICE: Sections bracketed with three plus signs (+++) may not be changed or removed without approval from a Quality Director or designee within the Entity and/or function (do not delete the text in this header).

Product/Trade Name and Product Code or REF. number: 901043 BLOOD PRESSURE CUFF, REUSABLE

Product Code	Product Name
REUSE-06	CUFF, WA, REUSABLE, SMALL INFANT
REUSE-06-1HP	CUFF, REUS, SM INFANT, 1-TUBE, HP
REUSE-06-1MQ	CUFF, REUS, SM INFANT, 1-TUBE, MQ
REUSE-06-1TP	CUFF, REUS, SM INFANT, 1-TUBE, TP
REUSE-06-1TPE	CUFF, REUS, SM INFANT, 1-TUBE TPE
REUSE-07	CUFF, WA, REUSABLE, INFANT
REUSE-07-1HP	CUFF, REUS, INFANT, 1-TUBE, HP
REUSE-07-1MQ	CUFF, REUS, INFANT, 1-TUBE, MQ
REUSE-07-1TP	CUFF, REUS, INFANT, 1-TUBE, TP
REUSE-07-1TPE	CUFF, REUS, INFANT, 1-TUBE TPE
REUSE-07-2BV	CUFF, REUS, INFANT, 2-TUBE, BV
REUSE-07-2BVC	CUFF, REUS, INFANT, 2-TUBE, BVC
REUSE-07-2MQ	CUFF, REUS, INFANT, 2-TUBE, MQ
REUSE-07-2MF	CUFF, REUS, INFANT, 2-TUBE, MF
REUSE-07-2TP	CUFF, REUS, INFANT, 2-TUBE, TP
REUSE-07-2TPE	CUFF, REUS, INFANT, 2-TB, TPE
REUSE-08	CUFF, WA, REUSABLE, SM CHILD
REUSE-08-1HP	CUFF, REUS SM CHILD 1-TUBE, HP
REUSE-08-1MQ	CUFF, REUS SM CHILD 1-TUBE, MQ
REUSE-08-1TPE	CUFF, REUS SM CHILD 1-TUBE TPE
REUSE-08-1TP	CUFF, REUS SM CHILD 1-TUBE, TP
REUSE-08-2BV	CUFF, REUS SM CHILD 2-TUBE, BV
REUSE-08-2BVC	CUFF, REUS SM CHILD 2-TUBE, BVC
REUSE-08-2MF	CUFF, REUS SM CHILD 2-TUBE MF
REUSE-08-2MQ	CUFF, REUS SM CHILD 2-TUBE, MQ
REUSE-08-2TP	CUFF, REUS SM CHILD 2-TUBE, TP
REUSE-08-2TPE	CUFF, REUS SM CHILD 2-TB, TPE
REUSE-09	CUFF, WA, REUSABLE, CHILD
REUSE-09-1HP	CUFF, REUS, CHILD, 1-TUBE, HP
REUSE-09-1MQ	CUFF, REUS, CHILD, 1-TUBE, MQ
REUSE-09-1TP	CUFF, REUS, CHILD, 1-TUBE, TP
REUSE-09-1TPE	CUFF, REUS, CHILD, 1-TUBE, TPE
REUSE-09-2BV	CUFF, REUS, CHILD, 2-TUBE, BV
REUSE-09-2BVC	CUFF, REUS, CHILD, 2-TUBE, BVC
REUSE-09-2MF	CUFF, REUS, CHILD, 2-TUBE MF
REUSE-09-2MQ	CUFF, REUS, CHILD, 2-TUBE, MQ
REUSE-09-2TP	CUFF, REUS, CHILD, 2-TUBE, TP
REUSE-09-2TPE	CUFF, REUS, CHILD, 2-TUBE, TPE
REUSE-10	CUFF, WA, REUSABLE, SM ADULT
REUSE-10-1HP	CUFF, REUS, SM AD, 1-TUBE, HP
REUSE-10-1MQ	CUFF, REUS, SM AD, 1-TUBE, MQ
REUSE-10-1TP	CUFF, REUS, SM AD, 1-TUBE, TP
REUSE-10-1TPE	CUFF, REUS, SM AD, 1-TUBE, TPE
REUSE-10-2BV	CUFF, REUS, SM AD, 2-TUBE, BV
REUSE-10-2BVC	CUFF, REUS, SM AD, 2-TUBE, BVC
REUSE-10-2MF	CUFF, REUS, SM AD, 2-TUBE, MF
REUSE-10-2MQ	CUFF, REUS, SM AD, 2-TUBE, MQ
REUSE-10-2TP	CUFF, REUS, SM AD, 2-TUBE, TP
REUSE-10-2TPE	CUFF, REUS, SM AD, 2-TUBE, TPE
REUSE-11	CUFF, WA, REUSABLE, ADULT
REUSE-11-1HP	CUFF, REUS, ADULT, 1-TUBE, HP
REUSE-11-1MQ	CUFF, REUS, ADULT, 1-TUBE, MQ

PARENT DOCUMENT(S): GQP-09-34 (current rev.)

Page 2 of 5

FORM NO.: GQT-09-34-03
REVISION: H
ISSUE DATE: SEE STAMP
EFFECTIVE DATE: SEE STAMP

NOTICE: Sections bracketed with three plus signs (+++) may not be changed or removed without approval from a Quality Director or designee within the Entity and/or function (do not delete the text in this header).

	and Entity unitary running (at the delete the text in the heads)	
REUSE-11-1TP	CUFF, REUS, ADULT, 1-TUBE, TP	
REUSE-11-1TPE	CUFF, REUS, ADULT, 1-TUBE, TPE	
REUSE-11-2BV	CUFF, REUS, ADULT, 2-TUBE, BV	
REUSE-11-2BVC	CUFF, REUS, ADULT, 2-TUBE, BVC	
REUSE-11-2MF	CUFF, REUS, ADULT, 2-TUBE, MF	
REUSE-11-2MQ	CUFF, REUS, ADULT, 2-TUBE, MQ	
REUSE-11-2TP	CUFF, REUS, ADULT, 2-TUBE, TP	
REUSE-11-2TPE	CUFF, REUS, ADULT, 2-TUBE, TPE	
REUSE-11L	CUFF, WA, REUSABLE ADULT LONG	
REUSE-11L-1HP	CUFF, REUS, AD LONG 1-TUBE, HP	
REUSE-11L-1MQ	CUFF, REUS, AD LONG 1-TUBE, MQ	
REUSE-11L-1TP	CUFF, REUS, AD LONG 1-TUBE, TP	
REUSE-11L-1TPE	CUFF, REUS, AD LONG 1-TUBE TPE	
REUSE-11L-2BV	CUFF, REUS, AD LONG 2-TUBE, BV	
REUSE-11L-2BVC	CUFF, REUS, AD LONG 2-TUBE, BVC	
REUSE-11L-2MF	CUFF, REUS, AD LONG 2-TUBE, MF	
REUSE-11L-2MQ	CUFF, REUS, AD LONG 2-TUBE, MQ CUFF, REUS, AD LONG 2-TUBE, TP	
REUSE-11L-2TP REUSE-11L-2TPE	CUFF, REUS, AD LONG 2-TUBE, TP	
REUSE-12	CUFF, WA, REUSABLE, LG ADULT	
REUSE-12-1HP	CUFF, REUS, LG AD, 1-TUBE, HP	
REUSE-12-1MQ	CUFF, REUS, LG AD, 1-TUBE, MQ	
REUSE-12-1TP	CUFF, REUS, LG AD, 1-TUBE, MQ CUFF, REUS, LG AD, 1-TUBE, TP	
REUSE-12-1TPE	CUFF, REUS, LG AD, 1-TUBE, TPE	
REUSE-12-11FE	CUFF, REUS, LG AD, 1-10BE, 1FE	
REUSE-12-2BVC	CUFF, REUS, LG AD, 2-TUBE, BVC	
REUSE-12-2MF	CUFF, REUS, LG AD, 2-TUBE, MF	
REUSE-12-2MQ	CUFF, REUS, LG AD, 2-TUBE, MQ	
REUSE-12-2TP	CUFF, REUS, LG AD, 2-TUBE, TP	
REUSE-12-2TPE	CUFF, REUS, LG AD, 2-TUBE, TPE	
REUSE-12L	CUFF, WA, REUS, LG ADULT LONG	
REUSE-12L-1HP	CUFF REUS LG AD LONG 1-TUBE HP	
REUSE-12L-1MQ	CUFF REUS LG AD LONG 1-TUBE MQ	
REUSE-12L-1TP	CUFF REUS LG AD LONG 1-TUBE TP	
REUSE-12L-1TPE	CUFF REUS LG AD LONG 1-TUBE TPE	
REUSE-12L-2BV	CUFF REUS LG AD LONG 2-TUBE BV	
REUSE-12L-2BVC	CUFF REUS LG AD LONG 2-TUBE BVC	
REUSE-12L-2MF	CUFF REUS LG AD LONG 2-TUBE MF	
REUSE-12L-2MQ	CUFF REUS LG AD LONG 2-TUBE MQ	
REUSE-12L-2TP	CUFF REUS LG AD LONG 2-TUBE TP	
REUSE-12L-2TPE	CUFF REUS LG AD LONG 2-TUBE TPE	
REUSE-13	CUFF, WA, REUSABLE, THIGH	
REUSE-13-1HP	CUFF, REUS, THIGH, 1-TUBE, HP	
REUSE-13-1MQ	CUFF, REUS, THIGH, 1-TUBE, MQ	
REUSE-13-1TP	CUFF, REUS, THIGH, 1-TUBE, TP	
REUSE-13-1TPE	CUFF, REUS, THIGH, 1-TUBE, TPE	
REUSE-13-2BV	CUFF, REUS, THIGH, 2-TUBE, BV	
REUSE-13-2BVC	CUFF, REUS, THIGH, 2-TUBE, BVC	
REUSE-13-2MF	CUFF, REUS, THIGH, 2-TUBE, MF	
REUSE-13-2MQ	CUFF, REUS, THIGH, 2-TUBE, MQ	
REUSE-13-2TP	CUFF, REUS, THIGH, 2-TUBE, TP	
REUSE-13-2TPE	CUFF, REUS, THIGH, 2-TUBE, TPE	
REUSE-ACC-MON	CUFF, REUSE (CHILD, SM ADULT, THIGH) MON PK	
REUSE-MLT-1	CUFF, REUSE, ADULT MULTIPACK,1-TB	
REUSE-PED-MON	CUFF, REUSE, PED MONITOR PACK	
REUSE-FP-BV	CUFF, REUSE, FP WALL PACK	
		

PARENT DOCUMENT(S): GQP-09-34 (current rev.)

Page 3 of 5

FORM NO.: GQT-09-34-03
REVISION: H
ISSUE DATE: SEE STAMP

EFFECTIVE DATE: SEE STAMP

NOTICE: Sections bracketed with three plus signs (+++) may not be changed or removed without approval from a Quality Director or designee within the Entity and/or function (do not delete the text in this header).

CUFF, REUSE, ADULT MULTIPACK,2-TB
CUFF, REUSE, FP MONITOR PACK
CUFF, REUSE, PED WALL PACK
CUFF, REUS, MULTIPACK
CUFF, REUSE, PED HAND GAUGE PACK
CUFF, REUSE, FP HAND GAUGE PACK
CUFF KIT, PHYSICIAN'S OFFICE

Intended Purpose/Use: Welch Allyn Pediatric through Adult Blood Pressure cuffs are non-invasive blood pressure cuffs intended for use in conjunction with non-automated and automated sphygmomanometers to determine blood pressure in pediatric through adult patients.

Device Risk Class: Class 1

Product Basic UDI-DI Number: 0732094GMN901043EY

MDR EU Certificate(s) No.: N/A

Conformity Assessment Description/Annexes: Annex II and Annex III, Rule 1

Notified Body Name and Address: N/A

+++ This Declaration is made on the following basis:

- For devices with a MDR EU Certificate issued by a Notified Body:
 - The validity of this document shall not start earlier than the validity date of the corresponding MDR EU Certificate.
 - The DoC declares conformity to all product lots released within the validity period/dates of the corresponding MDR EU Certificate.
- For Class I devices (that are non-sterile, have no measurement function or are not reusable surgical instruments) the DoC declares conformity to the product lots released after the date of signature.
- Compliance to standards and regulations as defined in the Technical Documentation and General Safety and Performance Requirements (GSPR).

PARENT DOCUMENT(S): GQP-09-34 (current rev.)

NOTICE: Sections bracketed with three plus signs (+++) may not be changed or removed without approval from a Quality Director or designee within the Entity and/or function (do not delete the text in this header).

• Additional information may be attached/appended to this template, such as common specifications, compliance to other union regulations/registrations, product code list or any other supporting information. +++

Authorised Signatory:		
Name and Title:	Joseph Olsavsky, Sr. Director Regulatory Affairs	
Function:	PRRC	
Place of Issue:	Skaneateles Falls, NY, USA	
Date of Issue:	February 25, 2025	
Signature:	Signature: JOSEPH OLSAVSK VElectronically signed by: JOSEPH Reason: 1 approve this document Date: Feb 25, 2025 12:53 EST Email: joseph_olsavsky@baxter.com	

REVISION: H
ISSUE DATE: SEE STAMP
EFFECTIVE DATE: SEE STAMP